

**Safety Data Sheet  
CROMATIC**

**Revision nr. 4  
Dated 13/09/2023**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Mixture identification:  
Product Name: CROMATIC  
Code: 002010; U002010

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

For professional use only. Alginate for dental impression.

**1.3. Details of the supplier of the safety data sheet**

Name  
Vannini Dental Industry Srl  
Via di Campigliano 55a  
50012 Bagno a Ripoli (FI)  
Italy  
tel. +39 055644698Sachkundigen

Competent person responsible for the safety data sheet:

[info@vanninidental.com](mailto:info@vanninidental.com)

**1.4. Emergency telephone number**

UK Emergency number: +39 055/644698

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

EC regulation criteria 1272/2008 (CLP)

STOT RE 2, H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.

Aquatic Chronic 3, H412 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

**2.2. Label elements**

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 1.5, letter d). Therefore the product is exempted from the CLP labeling requirements.

Hazard pictograms:



Warning

Hazard statements:

H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Safety Data Sheet

### CROMATIC

P314 Get medical advice/attention if you feel unwell.

Special Provisions:

None

Contains

Cristobalite

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

#### 2.3. Other hazards

Classification of the mixture is based on the results of an in vitro assay conducted in accordance with the guidelines provided by OCSE (OECD Test Guideline 437 resp. EU Method B.47 – Bovine Corneal Opacity and Permeability (BCOP) Test Method) and GLP certified - Good Laboratory Practices. For more information refer to section 11.

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$

Other Hazards:

No other hazards

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not Applicable

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty                         | Name                          | Ident. Number   | Classification   |
|-----------------------------|-------------------------------|---|--|
| $\geq 5\%$ -<br>$< 8\%$     | Cristobalite                  | CAS: 14464-46-1<br>EC: 238-455-4  | STOT RE 1 H372 Causes damage to organs (lungs) through prolonged or repeated exposure if inhaled.  |
| $\geq 1\%$ -<br>$< 3\%$     | Dipotassium exafluorotitanate | CAS: 16919-27-0<br>EC: 240-969-9<br>REACH No.: 01-21199782<br>68-20-XXXX                              | Acute Tox. 4 H302 Harmful if swallowed.<br>Eye Dam. 1 H318 Causes serious eye damage.<br>Acute Toxicity Estimate:<br>ATE - Oral 324 mg/kg bw   |
| $\geq 0,5\%$<br>- $< 2,5\%$ | zinc oxide                    | Index number: 030-013-00-7<br>CAS: 1314-13-2<br>EC: 215-222-5<br>REACH No.: 01-21194638<br>81-32-XXXX | Aquatic Acute 1 H400 Very toxic to aquatic life. M=1.<br>Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects. M=1.   |
| $< 0,1\%$                   | 2,3-Butanedione               | CAS: 431-03-8<br>EC: 207-069-8  | Skin Sens. 1 H317 May cause an allergic skin reaction.<br>STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.<br>Flam. Liq. 2 H225 Highly flammable liquid and vapour.<br>Acute Tox. 3 H331 Toxic if inhaled.<br>Acute Tox. 4 H302 Harmful if swallowed. |

**Safety Data Sheet**  
**CROMATIC**

|  |  |  |   |
|--|--|--|---|
|  |  |  | Skin Irrit. 2 H315 Causes skin irritation.<br>Eye Dam. 1 H318 Causes serious eye damage.<br>Acute Toxicity Estimate:<br>ATE - Oral 1580 mg/kg bw<br>ATE - Inhalation (Dust/mist) 0,5 mg/l |
|--|--|--|---|

Substances in nanoform:

>= 1% - < 3% Dipotassium exafluorotitanate

REACH No.: 01-2119978268-20-XXXX, CAS: 16919-27-0, EC: 240-969-9

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash with plenty of water and soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show the packing or label.

**4.2. Most important symptoms and effects, both acute and delayed**

None

**4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

**5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

**5.3. Advice for firefighters**

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

**SECTION 6: Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

## Safety Data Sheet

### CROMATIC

For non emergency personnel:  
 Wear personal protection equipment.  
 Wear breathing apparatus if exposed to vapours/dusts/aerosols.  
 Provide adequate ventilation.  
 Use appropriate respiratory protection.  
 See protective measures under point 7 and 8.

For emergency responders:  
 Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
 Retain contaminated washing water and dispose it.  
 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

#### 6.4. Reference to other sections

See also section 8 and 13

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
 Use localized ventilation system.  
 Don't use empty container before they have been cleaned.  
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
 See also section 8 for recommended protective equipment.  
 Advice on general occupational hygiene:  
 Contaminated clothing should be changed before entering eating areas.  
 Do not eat or drink while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.  
 Incompatible materials:  
 See section 10.5.  
 Instructions as regards storage premises:  
 Adequately ventilated premises.

#### 7.3. Specific end use(s)

See section 1.2.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

CROMATIC  
 Cristobalite - CAS: 14464-46-1

| OEL Type | TWA                        |  | Duration | STEL |  | Duration | Notes  | Country |
|----------|----------------------------|--|----------|------|--|----------|--|---------|
| EU       | 0.1<br>mg/m <sup>3</sup>   |  | 8h       |      |  |          | Respirable                                       |         |
| TLV      | 0.1<br>mg/m <sup>3</sup>   |  | 8h       |      |  |          | Respirable                                       | ITALY   |
| ACGIH    | 0.025<br>mg/m <sup>3</sup> |  | 8h       |      |  |          | (R), A2 -<br>Pulm<br>fibrosis,<br>lung<br>cancer |         |

**Safety Data Sheet**  
**CROMATIC**

Dipotassium exafluorotitanate - CAS: 16919-27-0

| OEL Type          | TWA |  | Duration | STEL |  | Duration | Notes | Country |
|-------------------|-----|--|----------|------|--|----------|-------|---------|
| No data available |     |  |          |      |  |          |       |         |

zinc oxide - CAS: 1314-13-2

| OEL Type  | TWA                   |  | Duration | STEL                  |  | Duration | Notes      | Country                    |
|-----------|-----------------------|--|----------|-----------------------|--|----------|------------|----------------------------|
| VLA       | 2 mg/m <sup>3</sup>   |  | 8h       | 10 mg/m <sup>3</sup>  |  | 15min    |            | SPAIN                      |
| MV        | 5 mg/m <sup>3</sup>   |  | 8h       | 20 mg/m <sup>3</sup>  |  | 15min    | Respirable | SLOVENIA                   |
| VME/VLE   | 3 mg/m <sup>3</sup>   |  | 8h       | 3 mg/m <sup>3</sup>   |  | 15min    | Respirable | SWITZERLAND                |
| MAK       | 2 mg/m <sup>3</sup>   |  | 8h       | 4 mg/m <sup>3</sup>   |  | 15min    | Inhalable  | GERMANY                    |
| MAK       | 0.1 mg/m <sup>3</sup> |  | 8h       | 0.4 mg/m <sup>3</sup> |  | 15min    | Respirable | GERMANY                    |
| MAK       | 3 mg/m <sup>3</sup>   |  | 8h       | 3 mg/m <sup>3</sup>   |  | 15min    | Respirable | SWITZERLAND                |
| AK        | 5 mg/m <sup>3</sup>   |  | 8h       | 20 mg/m <sup>3</sup>  |  | 15min    | Respirable | HUNGARY                    |
| GVI/KGVI  | 2 mg/m <sup>3</sup>   |  | 8h       | 10 mg/m <sup>3</sup>  |  | 15min    | Respirable | CROATIA                    |
| HTP       | 2 mg/m <sup>3</sup>   |  | 8h       | 10 mg/m <sup>3</sup>  |  | 15min    |            | FINLAND                    |
| MAK       | 5 mg/m <sup>3</sup>   |  | 8h       |                       |  |          | Respirable | AUSTRIA                    |
| NDS/NDSch | 5 mg/m <sup>3</sup>   |  | 8h       | 10 mg/m <sup>3</sup>  |  | 15min    | Inhalable  | POLAND                     |
| NGV/KGV   | 5 mg/m <sup>3</sup>   |  | 8h       |                       |  |          |            | SWEDEN                     |
| NPEL      | 1 mg/m <sup>3</sup>   |  | 8h       | 1 mg/m <sup>3</sup>   |  | 15min    | Respirable | SLOVAKIA (Slovak Republic) |
| OELV      | 2 mg/m <sup>3</sup>   |  | 8h       |                       |  |          | Respirable | IRELAND                    |
| RD        | 5 mg/m <sup>3</sup>   |  | 8h       |                       |  |          |            | LITHUANIA                  |
| RV        | 0.5 mg/m <sup>3</sup> |  | 8h       |                       |  |          |            | LATVIA                     |
| TLV       | 5 mg/m <sup>3</sup>   |  | 8h       |                       |  |          |            | ESTONIA                    |
| TLV       | 5 mg/m <sup>3</sup>   |  | 8h       |                       |  |          |            | NORWAY                     |
| TLV       | 5 mg/m <sup>3</sup>   |  | 8h       | 10 mg/m <sup>3</sup>  |  | 15min    |            | ROMANIA                    |
| TLV       | 2 mg/m <sup>3</sup>   |  | 8h       | 5 mg/m <sup>3</sup>   |  | 15min    |            | CZECH REPUBLIC             |
| TLV       | 4 mg/m <sup>3</sup>   |  | 8h       |                       |  |          |            | DENMARK                    |

**Safety Data Sheet**  
**CROMATIC**

|           |                     |  |    |                      |  |       |                        |          |
|-----------|---------------------|--|----|----------------------|--|-------|------------------------|----------|
| TLV       | 5 mg/m <sup>3</sup> |  | 8h | 10 mg/m <sup>3</sup> |  | 15min |                        | BULGARIA |
| TLV       | 5 mg/m <sup>3</sup> |  | 8h | 10 mg/m <sup>3</sup> |  | 15min |                        | GREECE   |
| VLEP      | 5 mg/m <sup>3</sup> |  | 8h |                      |  |       |                        | FRANCE   |
| VLEP      | 2 mg/m <sup>3</sup> |  | 8h | 10 mg/m <sup>3</sup> |  | 15min | Respirable             | BELGIUM  |
| TLV-ACGIH | 2 mg/m <sup>3</sup> |  | 8h | 10 mg/m <sup>3</sup> |  | 15min | (R) - Metal fume fever |          |
| ACGIH     | 2 mg/m <sup>3</sup> |  | 8h | 10 mg/m <sup>3</sup> |  |       | (R) - Metal fume fever |          |

2,3-Butanedione - CAS: 431-03-8

| OEL Type | TWA                     |          | Duration | STEL                    |          | Duration | Notes   | Country     |
|----------|-------------------------|----------|----------|-------------------------|----------|----------|---|-------------|
| HTP      | 0.07 mg/m <sup>3</sup>  | 0.02 ppm | 8h       | 0.36 mg/m <sup>3</sup>  | 0.1 ppm  | 15min    |   | FINLAND     |
| AGW      | 0.071 mg/m <sup>3</sup> | 0.02 ppm | 8h       | 0.071 mg/m <sup>3</sup> | 0.02 ppm | 15min    |   | GERMANY     |
| MAK      | 0.071 mg/m <sup>3</sup> | 0.02 ppm | 8h       | 0.071 mg/m <sup>3</sup> | 0.02 ppm | 15min    |   | GERMANY     |
| MAK      | 0.07 mg/m <sup>3</sup>  | 0.02 ppm | 8h       | 0.14 mg/m <sup>3</sup>  | 0.04 ppm | 15min    |   | SWITZERLAND |
| EU       | 0,07 mg/m <sup>3</sup>  | 0,02 ppm | 8h       | 0,36 mg/m <sup>3</sup>  | 0,1 ppm  |          |   |             |
| ACGIH    |                         | 0.01 ppm | 8h       |                         | 0.02 ppm |          | A4 - Lung dam (Bronchiolitis obliterans-like illness) |             |

**DNEL Exposure Limit Values**

Dipotassium hexafluorotitanate - CAS: 16919-27-0

Worker Professional: 5.2 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 5.2 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 5.2 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Professional: 75 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 75 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Consumer: 37.5 mg/kg bw/d - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Consumer: 37.5 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

zinc oxide - CAS: 1314-13-2

Consumer: 0.83 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 2.5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

## Safety Data Sheet

### CROMATIC

Worker Professional: 5 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 87 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 87 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

#### PNEC Exposure Limit Values

Dipotassium hexafluorotitanate - CAS: 16919-27-0

Target: Fresh Water - Value: 0.131 mg/l

Target: Marine water - Value: 0.131 mg/l

Target: Freshwater sediments - Value: 24.45 03

Target: Marine water sediments - Value: 4.89 03

Target: Microorganisms in sewage treatments - Value: 1.5 mg/l

Target: Soil (agricultural) - Value: 19.1 mg/kg

Target: intermittent release - Value: 0.108 mg/l

zinc oxide - CAS: 1314-13-2

Target: Fresh Water - Value: 117 mg/l

Target: Marine water - Value: 0.0061 mg/l

Target: Freshwater sediments - Value: 117 mg/kg

Target: Marine water sediments - Value: 56.5 mg/kg

Target: Microorganisms in sewage treatments - Value: 0.052 mg/l

Target: Soil (agricultural) - Value: 35.6 mg/kg

#### 8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles (EN 166).

Protection for skin:

Wear professional overalls and safety footwear (EN 14605).

Protection for hands:

Protect hands with work gloves (EN 374).

The following should be considered when choosing work glove material (EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties      | Value   | Method: | Notes |
|-----------------|---------|---------|-------|
| Physical state: | Dust    | --      | --    |
| Colour:         | White   | --      | --    |
| Odour:          | vanilla | --      | --    |

**Safety Data Sheet**  
**CROMATIC**

|   |                   |    |    |
|---|-------------------|----|----|
| Melting point/freezing point:                             | Not available     | -- | -- |
| Boiling point or initial boiling point and boiling range: | Not available     | -- | -- |
| Flammability:   | Not available     | -- | -- |
| Lower and upper explosion limit:                          | Not available     | -- | -- |
| Flash point:  | Not available     | -- | -- |
| Auto-ignition temperature:                                | Not available     | -- | -- |
| Decomposition temperature:                                | Not available     | -- | -- |
| pH:   | Not available     | -- | -- |
| Kinematic viscosity:                                      | Not available     | -- | -- |
| Solubility in water:                                      | Partially soluble | -- | -- |
| Solubility in oil:  | Not available     | -- | -- |
| Partition coefficient n-octanol/water (log value):        | Not available     | -- | -- |
| Vapour pressure:  | Not available     | -- | -- |
| Density and/or relative density:                          | Not available     | -- | -- |
| Relative vapour density:                                  | Not available     | -- | -- |
| Particle characteristics:                                 |                   |    |    |
| Particle size:  | Not available     | -- | -- |

**9.2. Other information**

No other relevant information

**SECTION 10: Stability and reactivity**
**10.1. Reactivity**

Stable under normal conditions

**10.2. Chemical stability**

Stable under normal conditions

**10.3. Possibility of hazardous reactions**

None

**10.4. Conditions to avoid**

Stable under normal conditions.

**10.5. Incompatible materials**

None in particular.

**10.6. Hazardous decomposition products**

None.

**SECTION 11: Toxicological information**
**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information of the product:

CROMATIC

a) acute toxicity

Not classified

b) skin corrosion/irritation

Not classified



**Safety Data Sheet**  
**CROMATIC**

- c) serious eye damage/irritation  
Not classified  
Test: In vitro - (INTERNAL TEST Bridging Principle, OECD 437 resp. EU Method B.47, GLP, in vitro, study report 2014).
- d) respiratory or skin sensitisation  
Not classified
  
- e) germ cell mutagenicity  
Not classified
  
- f) carcinogenicity  
Not classified
  
- g) reproductive toxicity  
Not classified
  
- h) STOT-single exposure  
Not classified
  
- i) STOT-repeated exposure  
The product is classified: STOT RE 2 H373
- j) aspiration hazard  
Not classified

Toxicological information of the main substances found in the product:

Cristobalite - CAS: 14464-46-1

i) STOT-repeated exposure:

Route: Inhalation - Notes: Silicosis, pulmonary fibrosis; Target organ: lungs - Source: (MSDS supplier).

Dipotassium hexafluorotitanate - CAS: 16919-27-0

a) acute toxicity

ATE - Oral 324 mg/kg bw

Test: LD50 - Route: Oral - Species: Rat 324 mg/kg - Source: (OECD 401, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met -

Source: (OECD 404, MSDS supplier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, MSDS supplier).

e) germ cell mutagenicity:

Test: In vitro - Species: Salmonella Typhimurium - Negative - Source: (OECD 471, MSDS supplier).

Test: In vitro - Positive - Source: (OECD 487, MSDS supplier).

Test: In vitro - Negative - Source: (OECD 476, MSDS supplier).

Test: In vivo - Species: Rat - Negative - Source: (OECD 474, MSDS supplier).

zinc oxide - CAS: 1314-13-2

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (OECD 402, GLP, ECHA dossier).

Test: LC50 - Route: Inhalation - Species: Rat > 5.7 mg/l - Source: (OECD 403, ECHA dossier).

## Safety Data Sheet

### CROMATIC

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: (OECD 401, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OCDE 471, ECHA dossier).

Test: In vivo - Species: Mouse - Negative - Source: (OCDE 474, GLP, ECHA dossier).

2,3-Butanedione - CAS: 431-03-8

a) acute toxicity

ATE - Oral 1580 mg/kg bw

ATE - Inhalation (Dust/mist) 0,5 mg/l

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: (MSDS supplier).

Test: LD50 - Route: Oral - Species: Rat 1580 mg/kg - Source: (MSDS supplier).

Test: STA - Route: Inhalation 0.5 mg/l - Source: Annex I - table 3.1.2

#### 11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration  $\geq$  0.1%

## SECTION 12: Ecological information

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

#### CROMATIC

The product is classified: Aquatic Chronic 3 - H412

#### Dipotassium hexafluorotitanate - CAS: 16919-27-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 172 mg/l - Duration h: 96h (OECD 203, Danio rerio, ECHA dossier).

Endpoint: EC50 - Species: Daphnia 48.2 mg/l - Duration h: 48h (OECD 203, Daphnia magna, ECHA dossier).

Endpoint: IC50 - Species: Algae 10.81 mg/l - Duration h: 72h (OECD 201, Pseudokirchneriella subcapitata, ECHA dossier).

Endpoint: NOEC - Species: Algae 1.31 mg/l (OECD 201, Pseudokirchneriella subcapitata, ECHA dossier).

#### zinc oxide - CAS: 1314-13-2

a) Aquatic acute toxicity:

Endpoint: IC50 - Species: Algae 0.17 mg/l - Duration h: 72h (Pseudokirchnerella subcapitata, MSDS supplier).

Endpoint: LC50 - Species: Fish 320 mg/l - Duration h: 96h (Lepomis macrochirus, MSDS supplier).

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae 0.017 mg/l (Pseudokirchnerella subcapitata, MSDS supplier).

### 12.2. Persistence and degradability

#### Cristobalite - CAS: 14464-46-1

Biodegradability: Non-readily biodegradable

#### Dipotassium hexafluorotitanate - CAS: 16919-27-0

Biodegradability: Non-readily biodegradable

#### zinc oxide - CAS: 1314-13-2

**Safety Data Sheet**  
**CROMATIC**

Biodegradability: Non-readily biodegradable

**12.3. Bioaccumulative potential**

Cristobalite - CAS: 14464-46-1

Not bioaccumulative

**12.4. Mobility in soil**

Not available

**12.5. Results of PBT and vPvB assessment**

vPvB Substances: None - PBT Substances: None

**12.6. Endocrine disrupting properties**

No endocrine disruptor substances present in concentration  $\geq 0.1\%$

**12.7. Other adverse effects**

None

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

**SECTION 14: Transport information****14.1. UN number or ID number**

Not classified as dangerous in the meaning of transport regulations.

**14.2. UN proper shipping name**

Not available

**14.3. Transport hazard class(es)**

Not available

**14.4. Packing group**

Not available

**14.5. Environmental hazards**

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

**14.6. Special precautions for user**

Not available

**14.7. Maritime transport in bulk according to IMO instruments**

Not Applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

## Safety Data Sheet

### CROMATIC

Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
 Regulation (EU) n. 2019/521 (ATP 12 CLP)  
 Regulation (EU) n. 2020/217 (ATP 14 CLP)  
 Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
 Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3  
 Restriction 40

Restrictions related to the substances contained:

Restriction 28  
 Restriction 75

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1  
 None

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)

Lagerklasse according to TRGS 510:

LGK 10: Combustible liquids

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

California Proposition 65

Substance(s) listed under California Proposition 65:

Cristobalite - Listed as carcinogen.

#### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

Dipotassium hexafluorotitanate  
 zinc oxide

### SECTION 16: Other information

| Hazard class and hazard category | Code        | Description  |
|----------------------------------|-------------|--|
| Flam. Liq. 2                     | 2.6/2       | Flammable liquid, Category 2                                   |
| Acute Tox. 3                     | 3.1/3/Inhal | Acute toxicity (inhalation), Category 3                        |
| Acute Tox. 4                     | 3.1/4/Oral  | Acute toxicity (oral), Category 4                              |
| Skin Irrit. 2                    | 3.2/2       | Skin irritation, Category 2                                    |
| Eye Dam. 1                       | 3.3/1       | Serious eye damage, Category 1                                 |
| Skin Sens. 1                     | 3.4.2/1     | Skin Sensitisation, Category 1                                 |
| STOT RE 1                        | 3.9/1       | Specific target organ toxicity - repeated exposure, Category 1 |
| STOT RE 2                        | 3.9/2       | Specific target organ toxicity - repeated exposure, Category 2 |
| Aquatic Acute 1                  | 4.1/A1      | Acute aquatic hazard, category 1                               |
| Aquatic Chronic 1                | 4.1/C1      | Chronic (long term) aquatic hazard, category 1                 |
| Aquatic Chronic 3                | 4.1/C3      | Chronic (long term) aquatic hazard, category 3                 |

**Safety Data Sheet**  
**CROMATIC**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| <b>Classification according to Regulation (EC) Nr. 1272/2008</b> | <b>Classification procedure</b> |
|--|---------------------------------|
| STOT RE 2, H373  | Calculation method              |
| Aquatic Chronic 3, H412  | Calculation method              |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECHA – European Chemical Agency  
GESTIS - Information system on hazardous substances of the German Social Accident Insurance  
IARC – International Agency for Research on Cancer  
IPCS INCHEM – International Programme on Chemical Safety  
ISS – Istituto Superiore di Sanità  
PubChem - open chemistry database at the National Institutes of Health (NIH)

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC. This safety data sheet has been created on a voluntary basis.

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
ATE: Acute Toxicity Estimate  
ATEmix: Acute toxicity Estimate (Mixtures)  
CAS: Chemical Abstracts Service (division of the American Chemical Society).  
CLP: Classification, Labeling, Packaging.  
DNEL: Derived No Effect Level.  
EINECS: European Inventory of Existing Commercial Chemical Substances.  
GefStoffVO: Ordinance on Hazardous Substances, Germany.  
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.  
IATA: International Air Transport Association.  
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
ICAO: International Civil Aviation Organization.  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).  
IMDG: International Maritime Code for Dangerous Goods.  
INCI: International Nomenclature of Cosmetic Ingredients.  
KSt: Explosion coefficient.  
LC50: Lethal concentration, for 50 percent of test population.  
LD50: Lethal dose, for 50 percent of test population.  
PNEC: Predicted No Effect Concentration.  
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.  
STEL: Short Term Exposure limit.  
STOT: Specific Target Organ Toxicity.  
TLV: Threshold Limiting Value.

**Safety Data Sheet**  
**CROMATIC**

TWA: Time-weighted average  
WGK: German Water Hazard Class.